

Professional Manufacturer of **RFID PVC card, RFID Environmental card, RFID Paper card, RFID Wooden card, RFID Hotel key card, RFID Wristband, NFC Ring, RFID Tag** since 1996.



Mindrfid

 **2⁺**
Years Quality Warranty

 **1996**
Mind Established in

 **100⁺**
Serving Customers In
More Than 100 Countries

 **1000⁺**
VIP Overseas Customers



Chengdu Mind IOT Technology Co.,Ltd
Chengdu Mind Golden Card System Co.,Ltd
Add.: No.600, Wulian 3rd Road, Southwest Airport Economic Development Zone,
Shuangliu District, Chengdu city, China (Sichuan) Pilot Free Trade Zone
Tel: +86-028-65555355
Web: www.mindrfid.com
Skype: Vivianluotoday **Cellphone/what's app:**0086-18228034833
Email: Vivian@mind.com.cn



Chengdu Mind IOT Technology Co.Ltd
Chengdu Mind Golden Card System Co.Ltd

MIND Keywords

Established in 1996, **Top3** in China.

Serving **1000+** industry head customer in Transportation/Social security/ Health / Education/ Energy/Retail and Logistics industry.

FSC,ROHS,REACH,FCC, ISO9001/14001, ISO/IEC27001:2002, OHSAS18001,SGS,TUV certified.

Obtain 10 patents & 30 copyrights.

Export to **100+** countries, company's foreign trade accounts for 2 / 3.

5000sq meters warehouse with sufficient raw material.

First-hand chip source, Stable chip supply is guaranteed.

350 workers incl:

Engineer: 15

Designer: 15

International sales: 40

Technician: 40

QC: 22


Others:218



MIND Workshop



Production Base&Office Building



Display Hall



Ultrasonic Encapsulation For RFID Tag And Fobs



Heidelberg CMYK Offset-printing Machine



Contactless IC Encapsulation



Smart Card Contact IC Chip Encapsulation





RFID Dry Inlay Muehlbauer Label Bonder



RFID Tag Automatic Compound Machine



RFID Prelam



MIND laminated inlays with chip & antenna

- Frequency: 125Khz/13.56Mhz/860-960Mhz/Dual frequency(LF+HF,HF+UHF,LF+UHF chips), Triple Frequency(LF+HF+UHF chips)
- Sheet Size: 480x305mm, 480x290mm, 210x297mm(A4),420x297mm(A3),460x305mm, 490x650mm
- Layout: 3x8,2x5,2x4,3x7,5x5,4x4,4x10
- Thickness: 0.4mm, 0.5mm, 0.55mm,0.6mm
- Printing: print customer layout line and position dot on surface
- Customized size, thickness and layout is available and welcome

RFID Card



- Frequency: 125Khz/13.56Mhz/860-960Mhz/Dual frequency(LF+HF,HF+UHF,LF+UHF chips), Triple Frequency(LF+HF+UHF chips)
- Working temperature: -35degree to +80 degree
- Material: PVC, PET,PETG
- Size:85.4x54x0.86mm or customized size, smallest size can be 9mm dia with HF chip
- Thickness: 0.4mm for UHF,0.76-1.0mm for LF/HF
- Printing: Heidelberg CMYK 4c offset printing on both sides
- Surface: Glossy/Matte/Frosted/Transparent clear
- Crafts: Hologram, Metallic silver/gold printing, UV spot printing,Barcode/QR code, Emboss/deboss number, Laser number, OVI Security Printing, Braille print, Fluorescent anti-counterfeiting printing, Rainbow laser surface,Brush finish
- 100% Matched color with customer design

ISO RFID cards RFID transparent cards RFID magnetic stripe cards RFID abnormal cards

Contact IC Smart Card



- ISO 7810
- Contact IC chip: SLE5542/5528/4428/4442/24C02/24C64, TG97, Java chips or custom cpu chips.
- Material: PVC, PET, PETG
- Size: 85.4x54x0.76mm
- Printing: Heidelberg CMYK 4c offset printing on both sides
- Surface: Glossy/Matte/Frosted/Transparent clear
- Crafts: Hologram, Metallic silver/gold printing, UV spot printing, Barcode/QR code, Emboss/deboss number, laser number, OVI Security Printing, Braille print, Fluorescent anti-counterfeiting printing, Rainbow laser surface, Brush finish
- 100% Matched color with customer design

Various PVC cards



- Printing: Heidelberg CMYK 4c offset printing, Silk screen printing, Pantone code printing.
- Surface: Glossy/Matte/Frosted/Transparent clear
- Crafts: Hologram, Metallic silver/gold printing, UV spot printing, Barcode/QR code, Emboss/deboss number, Laser number, OVI Security Printing, Braille print, Fluorescent anti-counterfeiting printing, Rainbow laser surface, Brush finish
- 100% Matched color with customer design
- More than 100 different molds, welcome customer design

**Magnetic stripe card / IDcard / Business card / Loyalty card / VIP card
Scratch card / Barcode card / Transparent card / Luggage card / Abnormal card**

Hotel Keycard




- Magnetic stripe hotel key cards
- RFID hotel keycards
- Supply encoded RFID hotel keycard for all major RFID hotel locking system

Hotel Partner:



5,000,000 keycard monthly	5000 cooperated hotels	80+ key lock brands
------------------------------	---------------------------	------------------------

Card Project



Confidential project, inconvenient to display the real sample, rendering is only show security crafts.

Public transport card
Driving license
ETC card

Students ID card
Health card
Medical card

Advantage on card project :

- Strategic partnership with RFID chip suppliers.
- PC, PET,PETG, Bio and Eco material available.
- Technic support for EMV chip, JAVA cos, Visa/Mastercard applet
- Success card project cases in 100+ cities worldwide

Security crafts:

- Java chip
- Hologram
- Micro text
- Thermochromic ink
- Ultra violet ink invisible(blue/green)
- OVI print
- Water mark greyscale inner core
- Invisible ink
- Photo space merge with background
- Guilloche design
- Multi guilloche design merge

100,000,000+ cards for public transportation 100+ cities worldwide	20,000,000+ cards for green transportation	5000+ cooperated suppliers in worldwide	2000+ cooperated suppliers in worldwide
---	---	---	---


Cards With New Crafts



Shell finish card



UV relief finish card




Leather finish card



Laser finish card



Fabric finish card



LED light in cards

Environmental Card Series


RFID PAPER TICKET




- Material: Paper(low cost) or Synthetic paper(waterproof)
- Communication interface: RFID, NFC
- Custom logo: Available
- Frequency: 13.56Mhz
- Paper weight: 250g,300g,350g,400g or customized
- Reading distance: 3-6cm
- Printing & Craft:Offset printing,Digital printing, Thermal printing, UV number,QR code, Matt or Glossy
- Application: For event ticketing and payment



Paper



+ RFID inlay =




RFID paper card

Environmental Card Series

BIO CARD-S

It is made of a new material between paper and plastic. There will be no waste water or waste gas during production. The card can be naturally degraded after use and will not cause secondary white pollution, totally pollution-free. Allows for excellent printing and performs like PVC.



Main Features

- 100% eco-friendly, degraded naturally, pollution-free.
- Woodless, even more eco-friendly than traditional paper.
- Waterproof, tear resistant, degradable, direct contact to food.
- Excellent printing quality.
- Performs like PVC.

BIO CARD-P

It is made of a new type of biodegradable material, whose raw material come from renewable plant fibers, corn and agricultural, can be completely degraded by microorganisms in nature after use. It is toxic free and with much better performance than PVC.



Main Features

- 100% recyclable throughout the entire life cycle.
- Made from renewable plant resources such as corn, straw, etc.
- Degrade into CO² and water, without polluting the environment.
- Energy saving and carbon reduction, CO² emissions can be reduced by 60%, and non-renewable energy consumption is reduced by 50%.

Environmental Card Series

ECO CARD

It is made of environmentally friendly materials, after burning, only CO² and water are left, which can well protect nature and be recycled. Has good yellowing resistance and can withstand the corrosion of chemicals. It does not contain bisphenol.

Eco card can be used for more than 20 years. Widely used in subway cards, ID cards, bank cards, credit cards, etc.



Main Features

- Eco-friendly, after burning, only CO² and water left.
- Excellent performance: yellowing resistance, withstand the corrosion of chemical.
- No BPA, direct contact to food.
- Long life time, card can be used for more than 20 years.
- Meets all the requirements of the international standard for credit cards (150 / IEC7810).

Specification:

Item Name:	BIO CARD-S, BIO CARD-P, ECO CARD	Thickness:	0.76mm/0.84mm/Customized
Size:	85.5*54mm or customized	Communication interface:	RFID, NFC
Material:	ENVIRONMENTAL, DEGRADABLE material	Craft:	Magnetic stripe, Signature panel, Bar code or customized.
Printing:	CMYK Printing, Silk screen, Digital print	Application:	ID card, Metro card, Bank card, Hotel key card, Access card.
Surface:	Matte /Glossy	Certification:	CE, FCC, RoHS

A little effort towards saving the environment is better than no effort.

RFID Wooden Card



FEATURES:

- Product type: Wooden card + RFID chip
- Material: Black Walnut/Bamboo/Birch/Cherry/Beech/Basswood/Maple/Birch/Sapele etc
- Size: 85x54mm, 40x40mm, 42x26mm or customized
- Shape: Retangular / Oval / Round / Square or customized
- Thickness: 1.1-1.4mm
- Communication interface: RFID, NFC
- Reading distance: 2-5cm, 1-6cm depend on RFID reader
- Function: Encoded for RFID hotel locking system
- Hotel Partner: Hilton, Marriott, Crown plaza, Sheraton, Holiday Inn, Four seasons, Ibis etc
- Various crafts: Silver/Golden hot stamping, Hico/Loco Magnetic stripe, Laser engraving, QR code, Serial numbers
- Printing: Silk screen printing/4c printing

VARIOUS WOOD MATERIAL AVAILABLE:



Sapele wood Bamboo wood Bass wood Beech wood Maple wood Black Walnut wood Cherry wood

RFID Smart Ring

RING MODELS:



MRA01
Ceramic+epoxy




MRA02
Ceramic+epoxy
custom printing



MRA03
Carbon fiber+ceramic



MRA04
100% pure ceramic



MRB01
Tungsten steel



MRC01
Wood

- Material: Ceramic, Tungsten, Wood
- Chip: NFC, RFID or dual frequency

CRAFT OPTIONS:



Brushed finish Color logo Frosted finish Laser Logo Matt finish Metal inlaid logo

Metal Card

Metal card series:



NFC metal card,A

Front: Full metal
Back: Full pvc with metal finish



NFC metal card,B

Full metal material
25mm/30mm/38mm NFC sticker in chip slot

- Material: Brass, Copper, Stainless Steel, Aluminum
- Size: 80*50/85*54/77*44mm or any other sizes & shapes you want, NO MOLD COST
- Shape: Round/Square/Cut through or OEM
- Thickness: 0.3mm, 0.36mm, 0.4mm, 0.5mm, 0.6mm, 0.8mm, 1.0mm or OEM
- Color: Gold, Silver, Copper or Black, Rose or any PMS color
- Finishing: Glossy/Matt/Brushed/Polished/Textured/Solid brass/Mirror
- Available Crafts: Chemical etching/Stamping/Electroplating/Engraving/Laser/Carving/ Embossing/Cut through etc
- Options: 13.56Mhz RFID chip can be build in (Sticker or whole PVC)
Magnetic strip (Loco: 300oe, Hico: 2750oe/4000oe etc)
Contact IC chip built in (SLE4442, SLE4428 or customized)
Signature panel and scratch panel
- Personalization: Card Number, Member name, Expiry date, QR code etc

CARD SIZE/SHAPE/THICKNESS/DESIGN/CRAFTS CAN BE CUSTOMIZED.

Lenticular 3D Card




- Material: PVC+RFID chip+3D Lenticular film
- Size: 85.4x54x0.86mm or customized
- Color: CMYK offset printing or customized
- Effect: Deep 3D effect, Multiple deep 3D with flip effect, 3D depth effect, 2 Flip, 3 Flip, Morph, Explode, Animation, Zoom etc
- Finish: The unique 3D depth effect is achieved thanks to the special film coating, the visual illusion of the 3 or 4-dimensional image protrudes several centimetres from the surface
- Application: Lenticular cards can apply for RFID cards, Hotel keycards, Postcards, Greeting Cards, Business cards, Name cards, Member cards with 3D lenticular effect
- OEM&ODM: Available

Anti Human Interference Card



- Solution: Reduced interference of human moisture on radio frequency induction.
- Feature: Wearable, Liquid resistance
- Material: PVC or customized
- Size: 85.4x54x0.84mm or customized
- Protocol: ISO/IEC 18000-6C & EPC global Class 1 Gen 2
- Frequency: UHF 902-928Mhz(US)
- Chip: Impinj M4QT
- EPC: 128 bits
- User memory: 512 bits
- TID: 48 bits
- Reading distance(Fixed reader): 6-8 meters (varies for different readers)
- Reading distance(R2000 Handheld terminal): 3-5 meters (varies for different readers)
- Operation temperature: -20°C to +65°C
- Storage temperature: -25°C to +85°C



RFID Keyfob & Epoxy Tag



RFID keyfobs

- Material: ABS
- Frequency: 125Khz/13.56Mhz
- Laser engraving number/Silk screen printing logo on surface
- Different molds for options



RFID Epoxy tags

- Material: PVC core + epoxy
- Frequency: 125Khz/13.56Mhz
- Shape/Size: Customize
- Printing: Customer design printed on both sides
- Crafts: 100% crystal and durable, no color fading or epoxy fall off
- MIND has more than 50 different molds/shapes for customer selection

RFID Fabric Wristband

Woven or ribbon band+RFID tag

- Disposable or reusable
- HOT SELL model



Woven band with embedded chip and sewing logo

- Disposable or reusable
- High end and custom woven label



- Material: PVC tag with RFID chip + Fabric woven
- Fabric material: Textile woven / Polyester / Satin ribbon
- Size: Wristband: 350x15mm, 400x15mm, 450x15mm or customized
Plastic tag: 42x26mm, 35x26mm or customized
- Communication interface: RFID, NFC
- Frequency: HF(13.56Mhz), LF(125Khz), UHF(860-960Mhz)
- Printing: Digital printing/Sublimation printing/Screen printing/Woven logo
- Closure design: Disposable closure or Recycle closure available

RFID Elastic Wristband

Elastic band+RFID tag

- Attractive and Durable
- Not easy to fall off
- No fade & No color limited




Elastic band with embedded RFID chip and sewing logo

- Custom woven label
- Sewed by import machine
- Straight & Beautiful



- Material: Elastic woven
- Adult size: 185/190x25mm
- Kid size: 160/165x25mm
- Customized size: 140-210mmx25mm
- Communication interface: RFID, NFC
- Frequency: HF(13.56Mhz), LF(125Khz), UHF(860-960Mhz)
- Printing: sublimation Printing or Silk Printing
- Crafts of PVC tag: CMYK Printing, Laser number, Barcode, QR Code Etc
- Crafts of Woven Band: Woven/Thermal transfer printing

Disposable RFID Wristband



- Material: PVC/PP/Holographic
- Communication interface: RFID,NFC
- Printing: Silkscreen/4C printing
- Size: 250X16mm, 250X25mm,255X20mm,240X32mm,260X38mm,255X27mm, 255X38mm,259X20mm,332X13.5mm,268X16mm,254*25mm for Adults
- Size: 158X20mm,250X25mm,250X19mm for Kids
- Crafts: Spray number, UV number, Serial number

Tyvek Wristband



- Material: Tyvek
- Communication interface: RFID,NFC
- Printing: Silkscreen/4C printing
- Size: 254X25mm,250X25mm,250X19mm,300X25mm for Adults
- Size: 158X20mm for Kids
- Crafts: Spray number, UV number, Serial number

RFID Silicone Wristband



- Material: Silicone
- Color options: Blue/Red/Black/White/Yellow/Grey/Green/Pink or customized PMS color
- Waterproof, moistureproof and resistant to high temperature
- Communication interface: RFID,NFC
- Working temperature: -30℃~220℃
- Write endurance 100000 cycles
- Applications: Widely use on hotel,NFC pay, Campuses, Amusement parks, Buses, Access control areas etc
- Encoding service: Encoded for RFID hotel locking system

Color Options



Laser engraved number



Screen printing logo



Laser engrave number with filled black color



Laser QR code

RFID Coconut Husk Wristband



- Material: RFID tag: Coconut husk - eco friendly material
- Band: Fabric,Woven
- Size: RFID tag :30x25x3mm
- Fabric woven band: 350x15mm, 400x15mm,450x15mm or customized.
- Frequency: 13.56Mhz
- Communication interface: RFID, NFC
- Reading distance: 3-6cm
- Custom logo: Available
- Printing & Craft:Sublimation printing/Silkscreen printing/Laser engraving/Woven logo etc.
- Closure design: Disposable closure or Recycle closure available
- Application:Amusement park/ Event/Ticketing/Payment/Access control/Body identification

RFID Wooden Wristband With Wooden Beads



- RFID tag material: Wood(Sapele/Bamboo/Basswood/Beech/Maple/Walnut/Cherry/Rosewood)
- RFID tag thickness: 0.8-1.4mm or customized
- Band material: Wood beads
- Tag and Band type/material/size/diameter/color/design all can be customized
- Frequency: 13.56Mhz
- Communication interface: RFID, NFC
- Reading distance: 3-6cm
- Custom logo: Available
- Printing & Craft: Color printing/Silkscreen printing/Laser engraving, UV number, QR code, serial number.
- Application: Event/Ticketing/Payment/Access control/Body identification



RFID Wooden Wristband with Fabric Loop



- RFID tag material: Wood(Sapele/Bamboo/Basswood/Beech/Maple/Walnut/Cherry/Rosewood)
- RFID tag thickness: 0.8-1.4mm or customized
- Band material: Woven, Fabric, Handmade rope
- Tag and Band type/material/size/diameter/color/design all can be customized
- Frequency: 13.56Mhz
- Communication interface: RFID, NFC
- Reading distance: 3-6cm
- Custom logo: Available
- Printing & Craft: Color printing/Silkscreen printing/Laser engraving, UV number, QR code, serial number
- Application: Event/Ticketing/Payment/Access control/Body identification



RFID Wooden Beads Wristband



- RFID part: Wood
- Wood material: Green sandalwood or Red pear wood or Ebony wood or customized
- Bead dia: 10mm, 12mm, 15mm, 20mm or customized, suggest 15mm
- Frequency: 13.56Mhz
- Communication interface: RFID, NFC
- Reading distance: 2-5cm
- Custom logo: Laser Engraving
- Custom pattern: Available
- Application: Event/Ticketing/Payment/Access control/Body identification
- OEM: Size/Beads material/Beads dia/Beads quantity/Beads color all can be customized

RFID Classic Wristband



- RFID part: Wood
- Band: Plastic or Leather rope with metal buckle
- Frequency: 13.56Mhz
- Communication interface: RFID, NFC
- Reading distance: 2-5cm
- Custom logo: Laser engraving
- Custom pattern: Available
- Application: Event/Ticketing/Payment/Access control/Body identification
- Size: S/M/L or customized

RFID Beads wristband



- RFID part: Dia: 12mm
- Bead material: Jade/Crystal/Beeswax/Cinnabar/Wood or customized
- Bead dia: 6mm, 8mm, 10mm, 12mm or customized.
- Frequency: 13.56Mhz
- Communication interface: RFID, NFC
- Reading distance: 2-5cm
- Custom logo: Available
- Custom pattern: Available
- Application: Event/Ticketing/Payment/Access control/Body identification

Diffrent beads options:



RFID Ornaments



- Material: Green sandalwood or Red pear wood or Ebony wood
- Size: 20-35mm
- Crafts: Engraving
- Accessories: customized plastic /wood beads, metal decoration and tassels
- Frequency: 13.56Mhz
- Communication interface: RFID, NFC
- Reading distance: 2-5cm
- Custom logo: Available
- Custom pattern: Available
- Application: Event/Ticketing/Payment/Access control/Body identification



Cat
27mm(H)x30mm(W)



Hazelnut
31mm(H)x21mm(W)



Lotus
25mm(H)x25mm(W)



Mythical wild animal
28mm(H)x26mm(W)

MIND RFID Blocking Product Series

Secure your valuable bank card, credit card and passport with MIND RFID blocking products.



RFID protective sleeve
-Protect credit card/Visa/bank card/passport data



RFID blocking card
-Put on your wallet, protect all your bank cards



RFID blocking wallet
-Aluminum material, protect all cards inside.



NFC Google Review Stand



- Material: Acrylic or PVC
- Size: XS stand, 80x50mm, base: 30m
S stand, 105x70mm, base: 50m
M stand, 148x105mm, base: 60m
L stand, 140x120mm, base: 60m
XL stand, 165x108mm, base: 60m
Or any customized size
- Thickness: 2+1mm, 3+1mm, 4+1mm or customized thickness
- Tape: Normal or 3M or customized
- Frequency: 13.56Mhz
- Communication interface: RFID, NFC
- Reading distance: 3-6cm
- Custom logo/design printing, unique QR code or barcode available.
- Surface: Glossy finish for white, matt finish for black
- Encoding: URL link can be encode before delivery
- Application: Restaurants, shopping malls, events, etc

Do Not Disturb Door Hanger



- Material: Wood
- Wood option: Black Walnut/Bamboo/Birch/Cherry/Beech/Basewood/Maple/Sapele etc.
- Printing: Laser engraving/Silk screen printing/ 4C printing.
- Size: Customized
- Shape: Customized
- Thickness: Customized
- Leadtime: 6-9days

Card box/ Card holder

Card box



- Material: Coated Paper + EVA Foam inner tray
- Box cover: with magnets
- Size: 147*88*9mm or customized
- Printing: Silk-screen printing, CMYK printing, laser printing etc
- Surface: UV Coating, Glossy/Matt Lamination, Varnishing, Stamping, Embossing, Gold Foil etc

Card holder



- Material: 150-300gsm coated paper or customize
- Size: 88*59mm or customize
- Printing: Silk-screen printing, CMYK printing Digital printing
- Surface: Matte, Frosted, Glossy, Spot UV, Stamping etc.
- OEM Layout/design/logo/crafts